

Route Command

The **route** command allows dynamic setting of a route from the command line, however using **route** without any parameters will show the currently configured routes.

Raspbian

Raspbian Jessie on a Raspberry Pi 3 (LAN connected only, no wifi or bluetooth)

```
route

Kernel IP routing table
Destination    Gateway         Genmask         Flags Metric Ref    Use Iface
default        137.58.71.254  0.0.0.0         UG    202   0      0 eth0
137.58.68.0    *              255.255.252.0  U     202   0      0 eth0
```

CentOS

CentOS 6.6 on a server with 6 network interfaces (only eth0 is physically connected).

```
route

Kernel IP routing table
Destination    Gateway         Genmask         Flags Metric Ref    Use Iface
192.168.5.0    *              255.255.255.0  U     0     0      0 eth4
192.168.4.0    *              255.255.255.0  U     0     0      0 eth2
192.168.4.0    *              255.255.255.0  U     0     0      0 eth3
192.168.3.0    *              255.255.255.0  U     0     0      0 eth1
192.168.27.0   *              255.255.255.0  U     0     0      0 eth0
link-local     *              255.255.0.0     U    1002   0      0 eth2
link-local     *              255.255.0.0     U    1003   0      0 eth3
link-local     *              255.255.0.0     U    1004   0      0 eth4
link-local     *              255.255.0.0     U    1005   0      0 eth5
link-local     *              255.255.0.0     U    1006   0      0 eth0
link-local     *              255.255.0.0     U    1007   0      0 eth1
default        192.168.27.254 0.0.0.0         UG     0     0      0 eth0
```

From:
<http://cameraangle.co.uk/> - WalkerWiki - wiki.alanwalker.uk

Permanent link:
http://cameraangle.co.uk/doku.php?id=route_command&rev=1474377496

Last update: 2023/03/09 22:35

