

# Route Command

The **route** command allows dynamic setting of a route from the command line, however using **route** without any parameters will show the currently configured routes.

## Raspbian

Raspbian Jessie on a Raspberry Pi 3 (LAN connected only, no wifi or bluetooth)

```
route
Kernel IP routing table
Destination     Gateway         Genmask        Flags Metric Ref  Use Iface
default         137.58.71.254   0.0.0.0       UG    202      0      0 eth0
137.58.68.0     *              255.255.252.0  U     202      0      0 eth0
```

Here we can see the default gateway is **137.58.71.254**

## CentOS

CentOS 6.6 on a server with 6 network interfaces (only eth0 is physically connected).

```
route
Kernel IP routing table
Destination     Gateway         Genmask        Flags Metric Ref  Use Iface
192.168.5.0     *              255.255.255.0  U     0      0      0 eth4
192.168.4.0     *              255.255.255.0  U     0      0      0 eth2
192.168.4.0     *              255.255.255.0  U     0      0      0 eth3
192.168.3.0     *              255.255.255.0  U     0      0      0 eth1
192.168.27.0    *              255.255.255.0  U     0      0      0 eth0
link-local       *              255.255.0.0    U     1002    0      0 eth2
link-local       *              255.255.0.0    U     1003    0      0 eth3
link-local       *              255.255.0.0    U     1004    0      0 eth4
link-local       *              255.255.0.0    U     1005    0      0 eth5
link-local       *              255.255.0.0    U     1006    0      0 eth0
link-local       *              255.255.0.0    U     1007    0      0 eth1
default          192.168.27.254  0.0.0.0       UG    0      0      0 eth0
```

Here we can see the default gateway is **192.168.27.254**

From:  
<http://cameraangle.co.uk/> - WalkerWiki - wiki.alanwalker.uk

Permanent link:  
[http://cameraangle.co.uk/doku.php?id=route\\_command&rev=1474377710](http://cameraangle.co.uk/doku.php?id=route_command&rev=1474377710)

Last update: **2023/03/09 22:35**

