

IP - the ifconfig replacement

Anyone who has used Linux will likely be familiar with the **ifconfig** command. Apparently ifconfig was deprecated some time ago, but has still been included in CentOS and Red Hat. Well version 7 has finally left out **ifconfig** and so now we move on to it's replacement called **ip**

Basic IP Commands

```
ip a
```

This command will list all interfaces with their associated information.

```
1: lo: <LOOPBACK,UP,LOWER_UP> mtu 65536 qdisc noqueue state UNKNOWN group default qlen 1
   link/loopback 00:00:00:00:00:00 brd 00:00:00:00:00:00
   inet 127.0.0.1/8 scope host lo
       valid_lft forever preferred_lft forever
   inet6 ::1/128 scope host
       valid_lft forever preferred_lft forever
2: eth0: <BROADCAST,MULTICAST,UP,LOWER_UP> mtu 1500 qdisc pfifo_fast state UP group default qlen 1000
   link/ether b8:27:eb:25:73:7d brd ff:ff:ff:ff:ff:ff
   inet 192.168.1.7/24 brd 192.168.1.255 scope global eth0
       valid_lft forever preferred_lft forever
   inet6 fe80::9c01:198b:dfcf:da93/64 scope link
       valid_lft forever preferred_lft forever
3: wlan0: <NO-CARRIER,BROADCAST,MULTICAST,UP> mtu 1500 qdisc pfifo_fast state DOWN group default qlen 1000
   link/ether b8:27:eb:70:26:28 brd ff:ff:ff:ff:ff:ff
```

From:

<http://cameraangle.co.uk/> - WalkerWiki - wiki.alanwalker.uk

Permanent link:

http://cameraangle.co.uk/doku.php?id=wiki:ip_-_the_ifconfig_replacement&rev=1479238150

Last update: **2023/03/09 22:35**

