

# Using Aliases in CentOS

Aliases are a way of assigning a complex command to an easy to remember word. Looking at the command below:

```
ip addr |grep '[0-9]\{1,3\}\.[0-9]\{1,3\}\.[0-9]\{1,3\}\.[0-9]\{1,3\}'
```

This returns just the IP part of the output from an **ip addr** command, making the output much easier to read, however remembering and typing the command requires more effort than it saves. For this then we can create an alias.

I want an alias called **showip** that actually does the same as typing `ip addr |grep '[0-9]\{1,3\}\.[0-9]\{1,3\}\.[0-9]\{1,3\}\.[0-9]\{1,3\}'`

You need to edit the `.bash` file for the logged in user who will use this alias. I am logged in as root, so I will edit that bash file.

```
Navigate to /root - cd /root
```

```
ls -al to show file list, you will see a list of files, including one called .bashrc\
```

Edit the `.bashrc` file by entering:

```
vi /root/.bashrc
```

My default `.bashrc` file looks like this:

```
# .bashrc
# User specific aliases and functions
alias rm='rm -i'
alias cp='cp -i'
alias mv='mv -i'
# Source global definitions
if [ -f /etc/bashrc ]; then
    . /etc/bashrc
fi
```

Now add the new alias:

```
alias showip=" ip addr |grep '[0-9]\{1,3\}\.[0-9]\{1,3\}\.[0-9]\{1,3\}\.[0-9]\{1,3\}'"
```

save the file and exit:

```
:wq
```

You have to restart the bash for any new aliases to work

```
. .bashrc
```

If you want to see if the alias is now listed, from the command prompt just type:

```
alias
```

You should now be able to type your new command at the command line and get an output:

```
showip
inet 127.0.0.1/8 scope host lo
inet 192.168.27.30/24 brd 192.168.27.255 scope global eth0
```

THIS SECTION IS UNFINISHED!!!!!!!!!!

From:  
<http://cameraangle.co.uk/> - WalkerWiki - [wiki.alanwalker.uk](http://wiki.alanwalker.uk)

Permanent link:  
[http://cameraangle.co.uk/doku.php?id=wiki:using\\_aliases\\_in\\_centos&rev=1469443582](http://cameraangle.co.uk/doku.php?id=wiki:using_aliases_in_centos&rev=1469443582)

Last update: **2023/03/09 22:35**

