

# Create VM

Jul 2017

This page is still Work in Progress - This message will be removed when page is complete.

---

Some things to remember

1. create vSwitch and Port Groups first
  2. Create ISO folder on datastore and upload ISO first
  3. Mysterious interface bug (port groups move to different interfaces)
- 

## Start VM Creation

After logging in to ESXi Web Admin, click Virtual Machines on the left.



Click [Create / Register VM](#).

---

## Select creation type

The New Virtual Machine wizard will start



Select [Create a new virtual machine](#) and click [Next](#).

---

## Select a name and guest OS

Here we must select a name for our VM, and what OS we will use.



Enter the following:

**Name:** A name you will recognise the VM by.

**Compatibility:** ESXi 6.5 virtual machine (unless you are using an older or newer version).

**Guest OS family:** Linux (unless you need something else).

**Guest OS version:** (CentOS 7 (64bit)).

Click [Next](#).

---

## Select Storage

This is where we select our datastore (you will probably only have one, especially on a smaller test system).



Select your datastore by clicking on it, then select **Next**.

---

## Customize Settings

This is where we set the parameters for our VM such as memory, hard disk space, interfaces etc.



In the above example, we can see the default settings that are set when you first open this page, these are not suitable however, and we need to change most of them.

If you are setting up an MFEL, use these settings.

**CPU** - Set this to 8

**Memory** - Set this to 8192

**Hard Disk 1** - 16B (default)

**SCSI Controller 0** - VMware Paravirtual (default)

**Sata Controller 0** - Blank (default)

**USB Controller 1** - USB 2.0 (default)

**Network Adapter 1** - (the setting depends on what port groups you created)

**Video Card** - Specify Custom Settings (default)

Do **NOT** press Next yet.

Below is the settings we require.



We also need to add a couple of Interfaces (depending on what you are doing). Click the **Add network adapter** link to keep adding adapters.

To enable us to boot up an OS, we will add a CD/DVD Drive (its a virtual one) and assign it an ISO image to boot from.



Click **Add Other Device** and then **CD/DVD Drive**.

When the CD/DVD device has been added, you will see it in the hardware list.



Click the device to see the options and select **Datastore ISO file**.



Select the datastore folder you created when installing VMWare, and the ISO file. Click **Select**. You can do this later if required.



Ensure your settings match the page above.

If so click **Next**.

---

## Ready to complete

The Create VM Wizard displays a confirmation page of your selected settings.



If you are happy with your settings, click **Finish**.

## Fix a little VMWare Bug

You will now be back at the VMWare Virtual Machines page.



Click on your new VM name (MFEncodingLive in this example).



You will see the specifics of the VM listed, if you look at the **interfaces**, you will see the interfaces you added, but most likely the **Port Groups** will be wrong (it's happened to me every time so far).

Click Edit at the top of the page to go back to the editable VM settings page.



Set the correct **Port Names** to correspond with the appropriate **Interface**.

Click **Save**.

You will be returned to the main ESXi Virtual Machine page.



Check your VM Interface settings to confirm they are now correct.

From:

<http://cameraangle.co.uk/> - WalkerWiki - [wiki.alanwalker.uk](http://wiki.alanwalker.uk)

Permanent link:

[http://cameraangle.co.uk/doku.php?id=create\\_vm&rev=1500411837](http://cameraangle.co.uk/doku.php?id=create_vm&rev=1500411837)

Last update: **2023/03/09 22:35**

